

SYSTEMS SURVEY FORM



Patient _____ Doctor _____ Date _____

Birth Date ____ / ____ / ____ Approx Weight _____ Vegetarian " Gluten-free "

INSTRUCTIONS: Fill in only the circles which apply to you. Leave blank if you don't have the problem.

- ☒ ☐ ☐ Fill in the circle marked 1 for MILD symptoms (occurs rarely).
☐ ☒ ☐ Fill in the circle marked 2 for MODERATE symptoms (occurs several times a month).
☐ ☐ ☒ Fill in the circle marked 3 for SEVERE symptoms (occurs almost constantly).
☐ ☐ ☐ **Leave circles BLANK if they don't apply to you!**

GROUP 1

- | | | |
|---|--|---|
| 1 ☐ ☐ ☐ Acid foods upset | 8 ☐ ☐ ☐ Unable to relax; startles easily | 15 ☐ ☐ ☐ Cold sweats often |
| 2 ☐ ☐ ☐ Get chilled often | 9 ☐ ☐ ☐ Extremities cold, clammy | 16 ☐ ☐ ☐ Get heated easily |
| 3 ☐ ☐ ☐ "Lump" in throat | 10 ☐ ☐ ☐ Strong light irritates | 17 ☐ ☐ ☐ Nerve discomfort |
| 4 ☐ ☐ ☐ Dry mouth-eyes-nose | 11 ☐ ☐ ☐ Occasionally weak urine flow | 18 ☐ ☐ ☐ Staring, blinks little |
| 5 ☐ ☐ ☐ Pulse speeds after meal | 12 ☐ ☐ ☐ Heart pounds after retiring | 19 ☐ ☐ ☐ Sour stomach frequent |
| 6 ☐ ☐ ☐ Keyed up - fail to calm | 13 ☐ ☐ ☐ "Nervous" stomach | |
| 7 ☐ ☐ ☐ Gag occasionally | 14 ☐ ☐ ☐ Appetite reduced occasionally | |

GROUP 2

- | | | |
|---|---|---|
| 20 ☐ ☐ ☐ Joint stiffness on arising | 28 ☐ ☐ ☐ Digestion rapid | 36 ☐ ☐ ☐ "Slow starter" |
| 21 ☐ ☐ ☐ Muscle-leg-toe cramps at night | 29 ☐ ☐ ☐ Vomit occasionally | 37 ☐ ☐ ☐ Get "chilled" |
| 22 ☐ ☐ ☐ "Butterfly" stomach, cramps | 30 ☐ ☐ ☐ Hoarseness frequent | 38 ☐ ☐ ☐ Perspire easily |
| 23 ☐ ☐ ☐ Eyes or nose watery | 31 ☐ ☐ ☐ Uneven breathing | 39 ☐ ☐ ☐ Sensitive to cold |
| 24 ☐ ☐ ☐ Eyes blink often | 32 ☐ ☐ ☐ Pulse slow | 40 ☐ ☐ ☐ Upper respiratory challenges |
| 25 ☐ ☐ ☐ Eyelids swollen, puffy | 33 ☐ ☐ ☐ Gagging reflex slow | |
| 26 ☐ ☐ ☐ Indigestion soon after meals | 34 ☐ ☐ ☐ Difficulty swallowing | |
| 27 ☐ ☐ ☐ Always seems hungry; feels "lightheaded" often | 35 ☐ ☐ ☐ Temporary constipation or diarrhea | |

GROUP 3

- | | | |
|---|---|--|
| 41 ☐ ☐ ☐ Eat when nervous | 48 ☐ ☐ ☐ Heart palpitates if meals missed or delayed | 52 ☐ ☐ ☐ Crave candy or coffee in afternoons |
| 42 ☐ ☐ ☐ Excessive appetite | 49 ☐ ☐ ☐ Fatigue in afternoons | 53 ☐ ☐ ☐ Moods of "blues" or melancholy |
| 43 ☐ ☐ ☐ Hungry between meals | 50 ☐ ☐ ☐ Overeating sweets upsets | 54 ☐ ☐ ☐ Craving for sweets or snacks |
| 44 ☐ ☐ ☐ Irritable before meals | 51 ☐ ☐ ☐ Awaken after few hours sleep - hard to get back to sleep | |
| 45 ☐ ☐ ☐ Get "shaky" if hungry | | |
| 46 ☐ ☐ ☐ Fatigue, eating relieves | | |
| 47 ☐ ☐ ☐ "Lightheaded" if meals delayed | | |

GROUP 4

- | | | |
|--|---|---|
| 55 ☐ ☐ ☐ Hands and feet go to sleep easily, numbness | 62 ☐ ☐ ☐ Get "drowsy" often | 67 ☐ ☐ ☐ Skin discolors easily after impact |
| 56 ☐ ☐ ☐ Sigh frequently, "air hunger" | 63 ☐ ☐ ☐ Swollen ankles, worse at night | 68 ☐ ☐ ☐ Tendency to anemia |
| 57 ☐ ☐ ☐ Aware of "breathing heavily" | 64 ☐ ☐ ☐ Muscle cramps, worse during exercise; get "charley horses" | 69 ☐ ☐ ☐ Noises in head, or "ringing in ears" |
| 58 ☐ ☐ ☐ High altitude discomfort | 65 ☐ ☐ ☐ Difficulty catching breath especially during exercise | 70 ☐ ☐ ☐ Fatigue upon exertion |
| 59 ☐ ☐ ☐ Opens windows in closed rooms | 66 ☐ ☐ ☐ Tightness or pressure in chest, worse on exertion | |
| 60 ☐ ☐ ☐ Immune system challenges | | |
| 61 ☐ ☐ ☐ Afternoon "yawner" | | |

SYSTEMS SURVEY FORM - PAGE 2

GROUP 5

- | | | |
|--|---|--|
| 1 2 3
71 ○○○ Dizziness | 1 2 3
80 ○○○ Worrier, feels insecure | 1 2 3
88 ○○○ Sneezing attacks |
| 72 ○○○ Dry skin | 81 ○○○ Nausea occasionally after eating | 89 ○○○ Dreaming, nightmare type bad dreams |
| 73 ○○○ Burning feet | 82 ○○○ Greasy foods upset | 90 ○○○ Bad breath (halitosis) |
| 74 ○○○ Blurred vision | 83 ○○○ Stools light colored | 91 ○○○ Milk products cause upset |
| 75 ○○○ Itching skin and feet | 84 ○○○ Skin peels on foot soles | 92 ○○○ Sensitive to hot weather |
| 76 ○○○ Hair loss | 85 ○○○ Discomfort between shoulder blades | 93 ○○○ Burning or itching anus |
| 77 ○○○ Occasional skin rashes | 86 ○○○ Occasional laxative use | 94 ○○○ Crave sweets |
| 78 ○○○ Bitter, metallic taste in mouth in mornings | 87 ○○○ Stools alternate from soft to watery | |
| 79 ○○○ Occasional constipation | | |

GROUP 6

- | | | |
|--|---|--|
| 1 2 3
95 ○○○ Loss of taste for meat | 1 2 3
98 ○○○ Coated tongue | 1 2 3
101 ○○○ Watery or loose stool |
| 96 ○○○ Lower bowel gas several hours after eating | 99 ○○○ Pass large amounts of foul-smelling gas | 102 ○○○ Gas shortly after eating |
| 97 ○○○ Burning stomach sensations, eating relieves | 100 ○○○ Indigestion 1/2 - 1 hour after eating; may be up to 3-4 hours after | 103 ○○○ Stomach "bloating" |

GROUP 7

- | | | |
|---|--|--|
| 1 2 3
104 ○○○ Difficulty sleeping | | 1 2 3
145 ○○○ Dizziness |
| 105 ○○○ On edge | | 146 ○○○ Headaches |
| 106 ○○○ Can't gain weight | | 147 ○○○ Hot flashes |
| 107 ○○○ Intolerance to heat | 1 2 3
134 ○○○ Failing memory with age | 148 ○○○ Hair growth on face or body (female) |
| 108 ○○○ Highly emotional | 135 ○○○ Increased sex drive | 149 ○○○ Sugar in urine (not diabetes) |
| 109 ○○○ Flush easily | 136 ○○○ Episodes of tension in head | 150 ○○○ Masculine tendencies (female) |
| 110 ○○○ Night sweats | 137 ○○○ Decreased sugar tolerance | |
| 111 ○○○ Thin, moist skin | | |
| 112 ○○○ Inward trembling | | |
| 113 ○○○ Heart races | | |
| 114 ○○○ Increased appetite without weight gain | | |
| 115 ○○○ Pulse fast at rest | | |
| 116 ○○○ Eyelids and face twitch | 1 2 3
138 ○○○ Abnormal thirst | 1 2 3
151 ○○○ Weakness, dizziness |
| 117 ○○○ Irritable and restless | 139 ○○○ Bloating of abdomen | 152 ○○○ Tired throughout day |
| 118 ○○○ Can't work under pressure | 140 ○○○ Weight gain around hips or waist | 153 ○○○ Nails weak, ridged |
| | 141 ○○○ Sex drive reduced or lacking | 154 ○○○ Sensitive skin |
| 1 2 3
119 ○○○ Increase in weight | 142 ○○○ Tendency for stomach issues | 155 ○○○ Stiff joints |
| 120 ○○○ Decrease in appetite | 143 ○○○ Immune system challenges | 156 ○○○ Perspiration increase |
| 121 ○○○ Fatigue easily | 144 ○○○ Menstrual disorders | 157 ○○○ Bowel discomfort |
| 122 ○○○ Ringing in ears | | 158 ○○○ Poor circulation |
| 123 ○○○ Sleepy during day | | 159 ○○○ Swollen ankles |
| 124 ○○○ Sensitive to cold | | 160 ○○○ Crave salt |
| 125 ○○○ Dry or scaly skin | | 161 ○○○ Areas of skin darkening |
| 126 ○○○ Temporary constipation | | 162 ○○○ Upper respiratory sensitivity |
| 127 ○○○ Mental sluggishness | | 163 ○○○ Tiredness |
| 128 ○○○ Hair coarse, falls out | | 164 ○○○ Breathing challenges |
| 129 ○○○ Tension in head upon arising wears off during day | | |
| 130 ○○○ Slow pulse, below 65 | | |
| 131 ○○○ Changing urinary function | | |
| 132 ○○○ Sounds appear diminished | | |
| 133 ○○○ Reduced initiative | | |

SYSTEMS SURVEY FORM - PAGE 3

GROUP 8

1	2	3		1	2	3		1	2	3				
165	☐	☐	☐	Muscle weakness	175	☐	☐	☐	Tendency to consume sweets or carbohydrates	184	☐	☐	☐	Visible veins on chest and abdomen
166	☐	☐	☐	Lack of Stamina	176	☐	☐	☐	Muscle spasms	185	☐	☐	☐	Hemorrhoids
167	☐	☐	☐	Drowsiness after eating	177	☐	☐	☐	Blurred vision	186	☐	☐	☐	Apprehension (feeling that something bad will happen)
168	☐	☐	☐	Muscular soreness	178	☐	☐	☐	Involuntary muscle action	187	☐	☐	☐	Nervousness causing loss of appetite
169	☐	☐	☐	Heart races	179	☐	☐	☐	Numbness	188	☐	☐	☐	Nervousness with indigestion
170	☐	☐	☐	Hyperirritable	180	☐	☐	☐	Night sweats	189	☐	☐	☐	Gastritis
171	☐	☐	☐	Feeling of a band around your head	181	☐	☐	☐	Rapid digestion	190	☐	☐	☐	Forgetfulness
172	☐	☐	☐	Melancholia (feeling of sadness)	182	☐	☐	☐	Sensitivity to noise	191	☐	☐	☐	Thinning hair
173	☐	☐	☐	Swelling of ankles	183	☐	☐	☐	Redness of palms of hands and bottom of feet					
174	☐	☐	☐	Change in urinary function										

FEMALE ONLY

1	2	3		1	2	3			
192	☐	☐	☐	Very easily fatigued	197	☐	☐	☐	Menstruate too frequently
193	☐	☐	☐	Premenstrual tension	198	☐			Hysterectomy / ovaries removed
194	☐	☐	☐	Menses more painful than usual	199	☐	☐	☐	Menopausal hot flashes
195	☐	☐	☐	Depressed feelings before menstruation	200	☐	☐	☐	Menses scanty or missed
196	☐	☐	☐	Painful breasts during menses	201	☐	☐	☐	Acne, worse at menses

MALE ONLY

1	2	3		
202	☐	☐	☐	Less involved in exercise/social activities
203	☐	☐	☐	Difficult to postpone urination
204	☐	☐	☐	Weak urinary stream
205	☐	☐	☐	Feeling of "blues" or melancholy
206	☐	☐	☐	Feeling of incomplete bowel evacuation
207	☐	☐	☐	Lack of energy
208	☐	☐	☐	Muscles in arms and legs seem softer/smaller
209	☐	☐	☐	Tire too easily
210	☐	☐	☐	Avoids activity
211	☐	☐	☐	Leg nervousness at night
212	☐	☐	☐	Diminished sex drive

IMPORTANT

Please list the five main complaints you have in the order of their importance:

1. _____
2. _____
3. _____
4. _____
5. _____

BARNES THYROID TEST

This test was developed by Dr. Broda Barnes, M.D. and is a measurement of the underarm temperature to determine hypo and hyperthyroid states. The test is conducted by the patient in the a.m. before leaving bed - with the temperature being taken for 10 minutes. The test is invalidated if the patient expends any energy prior to taking the test - getting up for any reason, shaking down the thermometer, etc. It is important that the test be conducted for exactly 10 minutes, making the prior positioning of both the thermometer and a clock important.

PRE-MENSES FEMALES AND MENOPAUSAL FEMALES

Any two days during the month

FEMALES HAVING MENSTRUAL CYCLES

The 2nd and 3rd day of flow OR any 5 days in a row

MALES

Any 2 days during the month

RESTRICTIONS ON USE

THE SYSTEMS SURVEY IS TO BE USED ONLY BY TRAINED HEALTH CARE PRACTITIONERS. IF YOU ARE A PATIENT, YOU SHOULD NOT USE THE SYSTEMS SURVEY. IF YOU ARE NOT A TRAINED HEALTH CARE PRACTITIONER, YOU SHOULD NOT USE THE SYSTEMS SURVEY. HEALTH CARE PRACTITIONERS SHOULD ONLY USE THE SYSTEMS SURVEY TO PROVIDE SERVICES THAT ARE WITHIN THE SCOPE OF THEIR LICENSE OR PROFESSIONAL TRAINING. THE SYSTEMS SURVEY IS NOT INTENDED TO DIAGNOSE ANY DISEASE. THE SYSTEMS SURVEY IS INTENDED TO BE USED AS A HELPFUL TOOL FOR HEALTH CARE PRACTITIONERS IN COLLECTING INFORMATION CONCERNING THE HEALTH AND WELLNESS OF PATIENTS.

SYSTEMS SURVEY FORM - PAGE 4

Please list any medications you are taking:

☐ No Medications

Please list any vitamins, herbs, or supplements you are taking:

☐ No Vitamins

Please list any allergies you have:

☐ No Allergies

Please list any surgeries you have had in the past 12 months:

☐ No Recent Surgeries

Please list any other surgeries or medical procedures you have had:

☐ No Other Surgeries

TO BE COMPLETED BY DOCTOR

Blood Pressure: Recumbent _____ Standing _____

Pulse: Recumbent _____ Standing _____

Hema-Combistix Urine Readings: pH _____ Albumin % _____ Glucose % _____

Occult Blood _____ pH of Saliva _____ pH of Stool Specimen _____


Blood Clotting Time _____ Hemoglobin _____ Blood Type _____ Weight _____

SYSTEMS SURVEY FORM - PAGE 5

Use the letters listed below to indicate the type and location of your pain and sensations:

KEY

A = ACHE
B = BURNING
S = STABBING
N = NUMBNESS
P = PINS & NEEDLES
O = OTHER



PLEASE INDICATE THE LEVEL OF PAIN YOU ARE EXPERIENCING

NO PAIN

SEVERE PAIN

0 1 2 3 4 5 6 7 8 9 10

Patient Signature _____ Date _____