

SYSTEMS SURVEY FORM



Patient _____ Doctor _____ Date _____

Birth Date ____ / ____ / ____ Approx Weight _____ Vegetarian: Yes ** No **

INSTRUCTIONS: Fill in only the circles which apply to you. Leave blank if you don't have the problem.

- Fill in the circle marked 1 for MILD symptoms (occurs rarely).
- Fill in the circle marked 2 for MODERATE symptoms (occurs several times a month).
- Fill in the circle marked 3 for SEVERE symptoms (occurs almost constantly).
- **Leave circles BLANK if they don't apply to you!**

GROUP 1

- | | | |
|--------------------------------|---|--------------------------------|
| 1 ○○○○ Acid foods upset | 8 ○○○○ Gag easily | 15 ○○○○ Appetite reduced |
| 2 ○○○○ Get chilled often | 9 ○○○○ Unable to relax; startles easily | 16 ○○○○ Cold sweats often |
| 3 ○○○○ "Lump" in throat | 10 ○○○○ Extremities cold, clammy | 17 ○○○○ Fever easily raised |
| 4 ○○○○ Dry mouth-eyes-nose | 11 ○○○○ Strong light irritates | 18 ○○○○ Neuralgia-like pains |
| 5 ○○○○ Pulse speeds after meal | 12 ○○○○ Urine amount reduced | 19 ○○○○ Staring, blinks little |
| 6 ○○○○ Keyed up - fail to calm | 13 ○○○○ Heart pounds after retiring | 20 ○○○○ Sour stomach often |
| 7 ○○○○ Cut heals slowly | 14 ○○○○ "Nervous" stomach | |

GROUP 2

- | | | |
|--|--|--|
| 21 ○○○○ Joint stiffness on arising | 29 ○○○○ Digestion rapid | 37 ○○○○ "Slow starter" |
| 22 ○○○○ Muscle-leg-toe cramps at night | 30 ○○○○ Vomiting frequent | 38 ○○○○ Get "chilled" infrequently |
| 23 ○○○○ "Butterfly" stomach, cramps | 31 ○○○○ Hoarseness frequent | 39 ○○○○ Perspire easily |
| 24 ○○○○ Eyes or nose watery | 32 ○○○○ Breathing irregular | 40 ○○○○ Circulation poor, sensitive to cold |
| 25 ○○○○ Eyes blink often | 33 ○○○○ Pulse slow; feels "irregular" | 41 ○○○○ Subject to colds, asthma, bronchitis |
| 26 ○○○○ Eyelids swollen, puffy | 34 ○○○○ Gagging reflex slow | |
| 27 ○○○○ Indigestion soon after meals | 35 ○○○○ Difficulty swallowing | |
| 28 ○○○○ Always seems hungry; feels "lightheaded" often | 36 ○○○○ Constipation, diarrhea alternating | |

GROUP 3

- | | | |
|--|--|---|
| 42 ○○○○ Eat when nervous | 49 ○○○○ Heart palpitates if meals missed or delayed | 53 ○○○○ Crave candy or coffee in afternoons |
| 43 ○○○○ Excessive appetite | 50 ○○○○ Afternoon headaches | 54 ○○○○ Moods of depression - "blues" or melancholy |
| 44 ○○○○ Hungry between meals | 51 ○○○○ Overeating sweets upsets | 55 ○○○○ Abnormal craving for sweets or snacks |
| 45 ○○○○ Irritable before meals | 52 ○○○○ Awaken after few hours sleep - hard to get back to sleep | |
| 46 ○○○○ Get "shaky" if hungry | | |
| 47 ○○○○ Fatigue, eating relieves | | |
| 48 ○○○○ "Lightheaded" if meals delayed | | |

GROUP 4

- | | | |
|---|--|--|
| 56 ○○○○ Hands and feet go to sleep easily, numbness | 63 ○○○○ Get "drowsy" often | 68 ○○○○ Bruise easily, "black and blue" spots |
| 57 ○○○○ Sigh frequently, "air hunger" | 64 ○○○○ Swollen ankles, worse at night | 69 ○○○○ Tendency to anemia |
| 58 ○○○○ Aware of "breathing heavily" | 65 ○○○○ Muscle cramps, worse during exercise; get "charley horses" | 70 ○○○○ "Nose bleeds" frequent |
| 59 ○○○○ High altitude discomfort | 66 ○○○○ Shortness of breath on exertion | 71 ○○○○ Noises in head, or "ringing in ears" |
| 60 ○○○○ Opens windows in closed rooms | 67 ○○○○ Dull pain in chest or radiating into left arm, worse on exertion | 72 ○○○○ Tension under the breastbone, or feeling of "tightness", worse on exertion |
| 61 ○○○○ Susceptible to colds and fevers | | |
| 62 ○○○○ Afternoon "yawner" | | |

SYSTEMS SURVEY FORM - PAGE 2

GROUP 5

- 1 2 3
73 ○○○ Dizziness
74 ○○○ Dry skin
75 ○○○ Burning feet
76 ○○○ Blurred vision
77 ○○○ Itching skin and feet
78 ○○○ Excessive falling hair
79 ○○○ Frequent skin rashes
80 ○○○ Bitter, metallic taste in mouth in mornings
81 ○○○ Bowel movements painful or difficult
82 ○○○ Worrier, feels insecure

- 1 2 3
83 ○○○ Feeling queasy; headache over eyes
84 ○○○ Greasy foods upset
85 ○○○ Stools light colored
86 ○○○ Skin peels on foot soles
87 ○○○ Pain between shoulder blades
88 ○○○ Use laxatives
89 ○○○ Stools alternate from soft to watery
90 ○○○ History of gallbladder attacks or gallstones

- 1 2 3
91 ○○○ Sneezing attacks
92 ○○○ Dreaming, nightmare type bad dreams
93 ○○○ Bad breath (halitosis)
94 ○○○ Milk products cause distress
95 ○○○ Sensitive to hot weather
96 ○○○ Burning or itching anus
97 ○○○ Crave sweets

GROUP 6

- 1 2 3
98 ○○○ Loss of taste for meat
99 ○○○ Lower bowel gas several hours after eating
100 ○○○ Burning stomach sensations, eating relieves

- 1 2 3
101 ○○○ Coated tongue
102 ○○○ Pass large amounts of foul-smelling gas
103 ○○○ Indigestion 1/2 - 1 hour after eating; may be up to 3-4 hrs.

- 1 2 3
104 ○○○ Mucous colitis or "irritable bowel"
105 ○○○ Gas shortly after eating
106 ○○○ Stomach "bloating" after

GROUP 7

- (A)**
1 2 3
107 ○○○ Insomnia
108 ○○○ Nervousness
109 ○○○ Can't gain weight
110 ○○○ Intolerance to heat
111 ○○○ Highly emotional
112 ○○○ Flush easily
113 ○○○ Night sweats
114 ○○○ Thin, moist skin
115 ○○○ Inward trembling
116 ○○○ Heart palpitates
117 ○○○ Increased appetite without weight gain
118 ○○○ Pulse fast at rest
119 ○○○ Eyelids and face twitch
120 ○○○ Irritable and restless
121 ○○○ Can't work under pressure

- (B)**
1 2 3
122 ○○○ Increase in weight
123 ○○○ Decrease in appetite
124 ○○○ Fatigue easily
125 ○○○ Ringing in ears
126 ○○○ Sleepy during day
127 ○○○ Sensitive to cold
128 ○○○ Dry or scaly skin
129 ○○○ Constipation
130 ○○○ Mental sluggishness
131 ○○○ Hair coarse, falls out
132 ○○○ Headaches upon arising, wear off during day
133 ○○○ Slow pulse, below 65
134 ○○○ Frequency of urination
135 ○○○ Impaired hearing
136 ○○○ Reduced initiative

- (C)**
1 2 3
137 ○○○ Failing memory
138 ○○○ Low blood pressure
139 ○○○ Increased sex drive
140 ○○○ Headaches, "splitting or rending" type
141 ○○○ Decreased sugar tolerance

- (D)**
1 2 3
142 ○○○ Abnormal thirst
143 ○○○ Bloating of abdomen
144 ○○○ Weight gain around hips or waist
145 ○○○ Sex drive reduced or lacking
146 ○○○ Tendency to ulcers, colitis
147 ○○○ Increased sugar tolerance
148 ○○○ Women: menstrual disorders
149 ○○○ Young girls: lack of menstrual function

- (E)**
1 2 3
150 ○○○ Dizziness
151 ○○○ Headaches
152 ○○○ Hot flashes
153 ○○○ Increased blood pressure
154 ○○○ Hair growth on face or body (female)
155 ○○○ Sugar in urine (not diabetes)
156 ○○○ Masculine tendencies (female)

- (F)**
1 2 3
157 ○○○ Weakness, dizziness
158 ○○○ Chronic fatigue
159 ○○○ Low blood pressure
160 ○○○ Nails weak, ridged
161 ○○○ Tendency to hives
162 ○○○ Arthritic tendencies
163 ○○○ Perspiration increase
164 ○○○ Bowel disorders
165 ○○○ Poor circulation
166 ○○○ Swollen ankles
167 ○○○ Crave salt
168 ○○○ Brown spots or bronzing of skin
169 ○○○ Allergies - tendency to asthma
170 ○○○ Weakness after colds, influenza
171 ○○○ Exhaustion - muscular and nervous
172 ○○○ Respiratory disorders

SYSTEMS SURVEY FORM - PAGE 3

-GROUP 8-

	1	2	3	
173	○	○	○	Apprehension
174	○	○	○	Irritability
175	○	○	○	Morbid fears
176	○	○	○	Never seems to get well
177	○	○	○	Forgetfulness
178	○	○	○	Indigestion
179	○	○	○	Poor appetite
180	○	○	○	Craving for sweets
181	○	○	○	Muscular soreness
182	○	○	○	Depression; feelings of dread

	1	2	3	
183	○	○	○	Noise sensitivity
184	○	○	○	Acoustic hallucinations
185	○	○	○	Tendency to cry without reason
186	○	○	○	Hair is coarse and/or thinning
187	○	○	○	Weakness
188	○	○	○	Fatigue
189	○	○	○	Skin sensitive to touch
190	○	○	○	Tendency toward hives
191	○	○	○	Nervousness
192	○	○	○	Headache

	1	2	3	
193	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Insomnia
194	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Anxiety
195	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Anorexia
196	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Inability to concentrate; confusion
197	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Frequent stuffy nose; sinus infections
198	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Allergy to some foods
199	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Loose joints

-FEMALE ONLY-

	1	2	3	
200	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Very easily fatigued
201	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Premenstrual tension
202	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Painful menses
203	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Depressed feelings before menstruation
204	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Menstruation excessive and prolonged
205	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Painful breasts

	1	2	3	
206	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Menstruate too frequently
207	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Vaginal discharge
208		<input type="radio"/>		Hysterectomy / ovaries removed
209	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Menopausal hot flashes
210	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Menses scanty or missed
211	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Acne, worse at menses
212	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Depression of long standing

-MALE ONLY-

	1	2	3	
213	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Prostate trouble
214	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Urination difficult or dribbling
215	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Night urination frequent
216	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Depression
217	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Pain on inside of legs or heels
218	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Feeling of incomplete bowel evacuation
219	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Lack of energy
220	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Migrating aches and pains
221	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tire too easily
222	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Avoids activity
223	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Leg nervousness at night
224	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Diminished sex drive

IMPORTANT

Please list the five main complaints you have in the order of their importance:

1. _____
2. _____
3. _____
4. _____
5. _____

BARNES THYROID TEST

This test was developed by Dr. Broda Barnes, M.D. and is a measurement of the underarm temperature to determine hypo and hyperthyroid states. The test is conducted by the patient in the a.m. before leaving bed - with the temperature being taken for 10 minutes. The test is invalidated if the patient expends any energy prior to taking the test - getting up for any reason, shaking down the thermometer, etc. It is important that the test be conducted for exactly 10 minutes, making the prior positioning of both the thermometer and a clock important.

PRE-MENSES FEMALES AND MENOPAUSAL FEMALES

Any two days during the month

FEMALES HAVING MENSTRUAL CYCLES

The 2nd and 3rd day of flow OR any 5 days in a row

MALES

Any 2 days during the month

You can do the following test at home to see if you may have a functional low thyroid. Use an oral thermometer or a digital one. When you use a digital one, place the probe under your arm for 5 minutes then turn your machine on; continue on for an additional 5 minutes. When using a regular one, shake down the night before.

[illegible]

SYSTEMS SURVEY FORM - PAGE 4

Please list any medications you are taking:

☐ No Medications

Please list any vitamins, herbs, or supplements you are taking:

☐ No Vitamins

Please list any allergies you have:

☐ No Allergies

Please list any surgeries you have had in the past 12 months:

☐ No Recent Surgeries

Please list any other surgeries or medical procedures you have had:

☐ No Other Surgeries

TO BE COMPLETED BY DOCTOR

Blood Pressure: Recumbent _____ Standing _____

Pulse: Recumbent _____ Standing _____

Hema-Combistix Urine Readings: pH _____ Albumin % _____ Glucose % _____

Occult Blood _____ pH of Saliva _____ pH of Stool Specimen _____

Blood Clotting Time _____ Hemoglobin _____ Blood Type _____ Weight _____